


PageSpeed Insights

Mobile



62 / 100 Speed

Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://kendellmaliki.com/css/layout.css> (expiration not specified)
- <http://kendellmaliki.com/css/reset.css> (expiration not specified)
- <http://kendellmaliki.com/css/style.css> (expiration not specified)
- <http://kendellmaliki.com/ellenwhite/images/buynow.png> (expiration not specified)
- <http://kendellmaliki.com/images/KM-one.jpg> (expiration not specified)
- <http://kendellmaliki.com/images/KM-three.jpg> (expiration not specified)

Mobile

- <http://kendellmaliki.com/images/KM-two.jpg> (expiration not specified)
- http://kendellmaliki.com/images/bg_content.gif (expiration not specified)
- http://kendellmaliki.com/images/bg_img2.jpg (expiration not specified)
- http://kendellmaliki.com/images/bg_top_img.jpg (expiration not specified)
- http://kendellmaliki.com/images/bg_top_repeat.jpg (expiration not specified)
- <http://kendellmaliki.com/images/equipment.jpg> (expiration not specified)
- <http://kendellmaliki.com/images/icon1.png> (expiration not specified)
- <http://kendellmaliki.com/images/icon4.png> (expiration not specified)
- <http://kendellmaliki.com/images/icon5.png> (expiration not specified)
- http://kendellmaliki.com/images/line_ver1.gif (expiration not specified)
- http://kendellmaliki.com/images/line_ver2.png (expiration not specified)
- <http://kendellmaliki.com/images/logo.png> (expiration not specified)
- <http://kendellmaliki.com/images/lux%20livin%20box%202.jpg> (expiration not specified)
- http://kendellmaliki.com/images/marker_1.gif (expiration not specified)
- http://kendellmaliki.com/images/menu_marker.png (expiration not specified)
- <http://kendellmaliki.com/images/search.gif> (expiration not specified)
- <http://kendellmaliki.com/is.jpg> (expiration not specified)
- http://kendellmaliki.com/js/Terminal_Dosis_300.font.js (expiration not specified)
- <http://kendellmaliki.com/js/atooltip.jquery.js> (expiration not specified)
- <http://kendellmaliki.com/js/cufon-replace.js> (expiration not specified)
- <http://kendellmaliki.com/js/cufon-yui.js> (expiration not specified)
- <http://kendellmaliki.com/js/jquery-1.5.2.js> (expiration not specified)
- <http://kendellmaliki.com/js/jquery.easing.1.2.js> (expiration not specified)
- <http://kendellmaliki.com/js/roundabout.js> (expiration not specified)
- http://kendellmaliki.com/js/roundabout_shapes.js (expiration not specified)
- <http://kendellmaliki.com/js/script.js> (expiration not specified)

Mobile

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 9 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://kendellmaliki.com/js/jquery-1.5.2.js>
- <http://kendellmaliki.com/js/cufon-yui.js>
- <http://kendellmaliki.com/js/cufon-replace.js>
- http://kendellmaliki.com/js/Terminal_Dosis_300.font.js
- <http://kendellmaliki.com/js/atooltip.jquery.js>
- <http://kendellmaliki.com/js/roundabout.js>
- http://kendellmaliki.com/js/roundabout_shapes.js
- <http://kendellmaliki.com/js/jquery.easing.1.2.js>
- <http://kendellmaliki.com/js/script.js>

[Optimize CSS Delivery](#) of the following:

- <http://kendellmaliki.com/css/reset.css>
- <http://kendellmaliki.com/css/layout.css>
- <http://kendellmaliki.com/css/style.css>

Consider Fixing:

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Mobile

[Minify JavaScript](#) for the following resources to reduce their size by 30.6KiB (45% reduction).

- Minifying <http://kendellmaliki.com/js/jquery-1.5.2.js> could save 27.3KiB (45% reduction) after compression.
- Minifying <http://kendellmaliki.com/js/roundabout.js> could save 1.7KiB (37% reduction) after compression.
- Minifying http://kendellmaliki.com/js/roundabout_shapes.js could save 1,006B (67% reduction) after compression.
- Minifying <http://kendellmaliki.com/js/atooltip.jquery.js> could save 583B (49% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 32.7KiB (9% reduction).

- Losslessly compressing <http://kendellmaliki.com/images/lux%20livin%20box%202.jpg> could save 15.9KiB (46% reduction).
- Losslessly compressing <http://kendellmaliki.com/is.jpg> could save 11.1KiB (93% reduction).
- Losslessly compressing <http://kendellmaliki.com/ellenwhite/images/buynow.png> could save 2KiB (25% reduction).
- Losslessly compressing <http://kendellmaliki.com/images/logo.png> could save 1KiB (6% reduction).
- Losslessly compressing <http://kendellmaliki.com/images/KM-three.jpg> could save 964B (1% reduction).
- Losslessly compressing <http://kendellmaliki.com/images/KM-two.jpg> could save 930B (2% reduction).
- Losslessly compressing <http://kendellmaliki.com/images/KM-one.jpg> could save 844B (2% reduction).



6 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

63 / 100 User Experience

 Should Fix:

Configure the viewport

Mobile

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- Home renders only 6 pixels tall (16 CSS pixels) final.
- Services and 4 others render only 6 pixels tall (16 CSS pixels) final.
- If you should...r questions... and 9 others render only 5 pixels tall (14 CSS pixels) final.
- We go to extre...ferred style. and 1 others render only 5 pixels tall (14 CSS pixels) final.
- Tie/Bowtie/Ascot and 25 others render only 5 pixels tall (14 CSS pixels) final.
- contact@kendellmaliki.com renders only 5 pixels tall (14 CSS pixels) final.
- Though pleats...rgeous fabric. and 7 others render only 5 pixels tall (14 CSS pixels).
- Copyright ©Kendell Maliki and 1 others render only 4 pixels tall (12 CSS pixels).
- Privacy Rights and 2 others render only 4 pixels tall (12 CSS pixels).

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

Mobile

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<input type="submit" class="submit">` is close to 1 other tap targets final.
- The tap target `Home` is close to 1 other tap targets final.
- The tap target `About` and 3 others are close to other tap targets final.
- The tap target `<li class="roundabout-mov...about-in-focus">` is close to 2 other tap targets final.
- The tap target `<li class="roundabout-moveable-item">` and 1 others are close to other tap targets final.
- The tap target `Tie/Bowtie` and 8 others are close to other tap targets final.
- The tap target `<input type="image" name="submit">` and 4 others are close to other tap targets final.
- The tap target `` and 5 others are close to other tap targets.



3 Passed Rules

Avoid app install interstitials that hide content

Your page does not appear to have any app install interstitials that hide a significant amount of content. Learn more about the importance of [avoiding the use of app install interstitials](#).

Avoid plugins


Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Mobile

Desktop



74 / 100 Speed

Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://kendellmaliki.com/css/layout.css> (expiration not specified)
- <http://kendellmaliki.com/css/reset.css> (expiration not specified)
- <http://kendellmaliki.com/css/style.css> (expiration not specified)
- <http://kendellmaliki.com/ellenwhite/images/buynow.png> (expiration not specified)
- <http://kendellmaliki.com/images/KM-one.jpg> (expiration not specified)
- <http://kendellmaliki.com/images/KM-three.jpg> (expiration not specified)
- <http://kendellmaliki.com/images/KM-two.jpg> (expiration not specified)
- http://kendellmaliki.com/images/bg_content.gif (expiration not specified)
- http://kendellmaliki.com/images/bg_img2.jpg (expiration not specified)
- http://kendellmaliki.com/images/bg_top_img.jpg (expiration not specified)

Desktop

- http://kendellmaliki.com/images/bg_top_repeat.jpg (expiration not specified)
- <http://kendellmaliki.com/images/equipment.jpg> (expiration not specified)
- <http://kendellmaliki.com/images/icon1.png> (expiration not specified)
- <http://kendellmaliki.com/images/icon4.png> (expiration not specified)
- <http://kendellmaliki.com/images/icon5.png> (expiration not specified)
- http://kendellmaliki.com/images/line_ver1.gif (expiration not specified)
- http://kendellmaliki.com/images/line_ver2.png (expiration not specified)
- <http://kendellmaliki.com/images/logo.png> (expiration not specified)
- <http://kendellmaliki.com/images/lux%20livin%20box%202.jpg> (expiration not specified)
- http://kendellmaliki.com/images/marker_1.gif (expiration not specified)
- http://kendellmaliki.com/images/menu_marker.png (expiration not specified)
- <http://kendellmaliki.com/images/search.gif> (expiration not specified)
- <http://kendellmaliki.com/is.jpg> (expiration not specified)
- http://kendellmaliki.com/js/Terminal_Dosis_300.font.js (expiration not specified)
- <http://kendellmaliki.com/js/atooltip.jquery.js> (expiration not specified)
- <http://kendellmaliki.com/js/cufon-replace.js> (expiration not specified)
- <http://kendellmaliki.com/js/cufon-yui.js> (expiration not specified)
- <http://kendellmaliki.com/js/jquery-1.5.2.js> (expiration not specified)
- <http://kendellmaliki.com/js/jquery.easing.1.2.js> (expiration not specified)
- <http://kendellmaliki.com/js/roundabout.js> (expiration not specified)
- http://kendellmaliki.com/js/roundabout_shapes.js (expiration not specified)
- <http://kendellmaliki.com/js/script.js> (expiration not specified)



Consider Fixing:

Minify JavaScript

Desktop

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 30.6KiB (45% reduction).

- Minifying <http://kendellmaliki.com/js/jquery-1.5.2.js> could save 27.3KiB (45% reduction) after compression.
- Minifying <http://kendellmaliki.com/js/roundabout.js> could save 1.7KiB (37% reduction) after compression.
- Minifying http://kendellmaliki.com/js/roundabout_shapes.js could save 1,006B (67% reduction) after compression.
- Minifying <http://kendellmaliki.com/js/atooltip.jquery.js> could save 583B (49% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 9 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://kendellmaliki.com/js/jquery-1.5.2.js>
- <http://kendellmaliki.com/js/cufon-yui.js>
- <http://kendellmaliki.com/js/cufon-replace.js>
- http://kendellmaliki.com/js/Terminal_Dosis_300.font.js
- <http://kendellmaliki.com/js/atooltip.jquery.js>
- <http://kendellmaliki.com/js/roundabout.js>
- http://kendellmaliki.com/js/roundabout_shapes.js
- <http://kendellmaliki.com/js/jquery.easing.1.2.js>
- <http://kendellmaliki.com/js/script.js>

Desktop

[Optimize CSS Delivery](#) of the following:

- <http://kendellmaliki.com/css/reset.css>
- <http://kendellmaliki.com/css/layout.css>
- <http://kendellmaliki.com/css/style.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 74.4KiB (17% reduction).

- Compressing and resizing <http://kendellmaliki.com/images/equipment.jpg> could save 41.6KiB (85% reduction).
- Losslessly compressing <http://kendellmaliki.com/images/lux%20livin%20box%202.jpg> could save 15.9KiB (46% reduction).
- Losslessly compressing <http://kendellmaliki.com/is.jpg> could save 11.1KiB (93% reduction).
- Losslessly compressing <http://kendellmaliki.com/ellenwhite/images/buynow.png> could save 2KiB (25% reduction).
- Losslessly compressing <http://kendellmaliki.com/images/logo.png> could save 1KiB (6% reduction).
- Losslessly compressing <http://kendellmaliki.com/images/KM-three.jpg> could save 964B (1% reduction).
- Losslessly compressing <http://kendellmaliki.com/images/KM-two.jpg> could save 930B (2% reduction).
- Losslessly compressing <http://kendellmaliki.com/images/KM-one.jpg> could save 844B (2% reduction).



6 Passed Rules

Avoid landing page redirects

Desktop

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).